



CHIMNEY **PRODUCTS, INC.**



2023 - 2024 **MANUFACTURER & DISTRIBUTOR PRICE LIST**

TOLL FREE: 1-800-366-8677 | FAX: 818-485-2800
EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

TABLE OF CONTENTS (A-Z)

"MONSOON" CAP	15	LADDER RIDGE HOOK	45
ACS HOME & HEARTH CLEANER	37	LOG LIGHTERS	28
ADHESIVE SPRAY 12 OZ. CAN	31	MASONRY PATCH	40
ANTI-CREO -SOOT	36	MODULAR CHIMNEY CAP	20
ASH DUMP DOORS	27	MULTI-FLUE CHIMNEY CAPS	19
BUTTERFLY CAP DAMPER 3/4" MESH ONLY	14	MULTI-FLUE CHIMNEY CAPS FOR CALIFORNIA	18
BUTTERFLY DAMPER	13	NOODLE BRUSH	43
CASTABLE REFRACTORY CEMENT	37	NOTES	47
CHAMBER SAFE	39	PCR	34
CHIMNEY ANIMAL GUARD 3/4" MESH ONLY	21	PR88 HAND PROTECTION	32
CHIMNEY PRODUCTS, INC Dependable & Reliable	3	PRO CREOSOTE REMOVER	35
CHIMNEY SAVER	33	PWR	33
CHIMNEY SWEEP FURNACE CEMENT	38	RED SILICONE SEALANT	32
CLEAN OUT DOORS	27	REFRACTORY CEMENT	37
CONDITION REPORTS	45	REINFORCEMENT ROLL	33
CONTACT	46	REMOVABLE DAMPER LEVER	45
COPPER 3/4 MESH ICE BREAKER CAP DAMPER	22	ROOF ANIMAL GUARD 3/4" MESH ONLY	21
COPPER MULTI FLUE CAPS & MODULAR CAPS	23	ROUND ICE BREAKER	16
COPPER MULTI-CAGE LIDS (UNIVERSAL CAPS)	22	ROUND MASONRY 5/8" & 3/4" MESH	17
COPPER SINGLE FLUE CAPS 3/4" MESH ONLY	22	RUG RUNNER	44
COPPER UNIVERSAL CHIMNEY CAPS	22	SCREEN VALANCE WITH RODS & REPLACEMENT RODS	26
CPI PRICING AND POLICIES	4	SELF DRILLING SCREWS	44
CRE-AWAY	36	SHOVEL	44
CROWN COAT	34	SILICONE SEALANT	32
CROWN SAFE	39	SINGLE FLUE CHIMNEY CAP	10
CROWN SAVER	35	SINGLE FLUE CHIMNEY CAP FOR CALIFORNIA	9
CROWN SEAL	34	SINGLE WALL/SOLID PACK AND AIR INSULATED CAP	15
CUT TO FIT REFRACTORY PANELS	27	SKAMOL REFRACTORY PANELS	27
DROP CLOTH	44	SMOKE CHAMBER BRUSH	43
DROP-IN DAMPERS	17	SMOKE GUARDS	24
DRY CREOSOTE REMOVER	35	SMOKE SHELF HAND BRUSH	43
DRY MIX 211	37	SMOKE SHELF SCRAPER	45
DRYER CLAMP	41	SMOKTITE™	38
DRYER FLEX	42	SMOKTITE™ SYSTEM	38
DRYER JACK	41	SOOT SUCKER SMOKE SHELF CLEANER	45
DRYER WALL VENT	42	SPEEDY-WHITE	36
DUST BRUSH	43	SPRAYON 204 DRY GRAPHITE LUBE	25
EMBER GRATES	24	STAINLESS STEEL WIRE 1 LB. COIL	31
EXPANDED METAL MESH	24	STORM COLLARS	24
FIREPLACE MORTAR	40	STOVE & GASKET CEMENT	40
FIREPLACE SCREENS	25	SUPER CAPS	6
FLASH SEAL	33	THE DEFENDER	41
FLUE FLEX® HEAVYWALL LINER 304	30	THERMOCRETE®	39
FOIL TAPE 3" X 150'	31	UGL DRYLOK MASONRY CRACK FILLER	39
FORM FOIL	35	UNIVERSAL CHIMNEY CAP	5
GAS LOG CONTROL VALVES	29	UNIVERSAL CHIMNEY CAP FOR THE MIDWEST AND NORTH EAST	7
HEAT REFLECTOR/SHIELD 304 STAINLESS STEEL FIREBACK	26	UNIVERSAL CHIMNEY CAP FOR THE SOUTH AND SOUTH WEST	7
HI-TEMP STOVE & GRILL PAINT	32	UNIVERSAL DAMPER KIT	8
ICE BREAKER DAMPER CAP	12	UNIVERSAL MULTI-CAGE LID	8
ICE BREAKER DAMPER CAP FOR CALIFORNIA	11	UNIVERSAL SPECIALTY CAPS FOR CALIFORNIA	6
INSULATION KIT	31	VENTED & VENT-FREE GAS LOG SETS (NATURAL GAS)	28
KWIK-SHOT	36	VENTED & VENT-FREE GAS LOG SETS (PROPANE)	29



CHIMNEY PRODUCTS, INC

Dependable & Reliable



In 2022 and for the first time in over 35 years of business Chimney Products, Inc moved its primary manufacturing location. Our new location in Lancaster, CA provides us with a much more efficient and streamlined facility from which to satisfy the ever-growing demand for our expanding line of high-quality American made Chimney and Fireplace parts and accessories. With our distribution center in Lewisburg, TN no matter what part of the country you are in Chimney Products, Inc is there for you.

From humble beginnings in 1985 Chimney Products, Inc (originally RMR Products) began fabricating a line of reliable, affordable and consistently high-quality chimney caps, dampers and accessories that thousands of blue-collar chimney sweeps and technicians from across the country came to trust and rely on.

Throughout the years we have never sacrificed the quality or craftsmanship of our products, nor shipped any part of our manufacturing or assembly overseas. Our commitment to this industry and our clients will always remain the same. Reliability, Affordability and High-Quality American Made Products.

Thank you for choosing Chimney Products, Inc!

Warm Regards,

Julian Margo

Julian Margo
Owner/CEO



**CHIMNEY
PRODUCTS, INC.**

CPI's PRICING AND POLICIES

■ GENERAL CREDIT POLICY

ON APPROVAL OF CREDIT: Upon completion of a credit application, if a customer has verifiable credit established with other companies, we will extend credit. If not, bills are due at time of order or C.O.D.

OVERDUE INVOICES: An invoice is considered overdue if payment has not been received after 30 days from the date of invoice. A 1.5% penalty fee will be added to all overdue invoices for each month that the invoice is past due.

RETURNED CHECKS: There will be a \$35 charge for each check returned from the bank unpaid.

■ ORDERS AND SHIPPING

We ship all products FedEx Ground. It is our policy that all orders placed by 3:00 pm your time will be shipped the same day. All orders come directly to our California office, so if you live on the east coast and need to place your order early in the A.M. you can place your order online or leave your order on our after hours answering machine.

■ FREE SHIPPING

We offer free shipping on all CPI manufactured products when the full order totals \$699 or more! Some additional exclusions may apply.

■ DROP SHIPPING

Drop shipping is available just call with the address you want your product(s) to shipped and they will be sent promptly. If we are shipping directly to your customer (drop ship) there will be no invoice on the box, just a packing slip with a list of the products ordered, no prices. We send you a bill (if you're on billing) or the receipt. There is a \$5 service charge for each drop ship order to a new location.

■ RETURN POLICY

All returned goods must be in unused, resalable condition. Goods are to be returned, freight prepaid, along with a copy of the invoice, to the warehouse from which they were originally shipped. Goods returned within 30 days of the invoice date are not subject to a restocking fee. Returns between 30 and 60 days of the invoice date will be subject to a 10% restocking fee. No goods will be accepted after 60 days of invoice date. A credit will be issued on your account for goods returned.

■ OUR GUARANTEE

If our products don't last for the length of time we guarantee, we'll give you a new one free of charge. We simply ask that you ship back the failed product so that we can inspect it and improve our quality. All of our galvanized chimney caps come with a 6 year guarantee. **ALL OF OUR STAINLESS STEEL AND COPPER PRODUCTS COME WITH A LIFETIME GUARANTEE!**

WE ACCEPT ALL MAJOR CREDIT CARDS



Products manufactured by Chimney Products, Inc. are an exclusive line for Chimney Sweeps, Fireplace Shops, Masons and Contractors. These are your products!

CPI UNIVERSAL CHIMNEY CAP



The Universal Chimney Cap fits 95% of masonry chimneys in California! It comes in black (powder coated) galvanized, stainless steel and stainless steel powder coated black -- the "Black Beauty". No tools needed to install. Galvanized caps come with a 6 year guarantee. Stainless steel caps come with a **LIFETIME GUARANTEE!**

PART#	SIZE
BLACK POWDER COATED	
#101	5/8" MESH 13"X20.5"
#102	3/4" MESH 13"X20.5"
#109	5/8" MESH 13"X13"
#140	GALVANIZED UNIVERSAL ANCHOR
STAINLESS STEEL	
#103	5/8" MESH 13"X20.5"
#104	3/4" MESH 13"X20.5"
#111	5/8" MESH 13"X13"
STAINLESS STEEL BLACK POWDER COATED	
#105	5/8" MESH 13"X20.5"
#338	CAP BROCHURES (100)
#151	STAINLESS STEEL UNIVERSAL ANCHOR



Ships in either a single box or the compact, economical 4-pack.

Held on by an inside mounted anchor, so it works even when the chimney doesn't have a raised flue liner!

Of course there is the Universal Damper Kit for the Universal Chimney Cap. Anything the cap fits (95%) so will the damper! (See page 9 for pricing.)




CPI UNIVERSAL SPECIALTY CAPS FOR CALIFORNIA



The #101 (13"x20.5") will cover 95% of masonry flues in California. This leaves the oddball 5%. Here are some caps we have to handle those chimneys. These caps are 18"x18" and 22"x22" (shown in the picture above). These caps give you 7 full inches of adjustments, which means the 18"x18" will cover down to 11"x11" and the 22"x22" will cover down to 15"x15". Galvanized caps come with a 6 year guarantee. Stainless steel caps come with a **LIFETIME GUARANTEE!** **These caps are available in both 5/8" California mesh and 3/4" mesh!**

PART#	SIZE
BLACK POWDER COATED	
#108	BLACK 5/8" MESH 18"X18
#287	BLACK 5/8" MESH 18"X22"
#124	BLACK 5/8" MESH 22"X22"
STAINLESS STEEL	
#113	S.S 5/8" MESH 18"X18"
#289	S.S 5/8" MESH 18"X22"
#122	S.S 5/8" MESH 22"X22"

SUPER CAPS



The Super Cap has an 18"x34" base and covers anything down to 11"x27". The cross bars aren't welded on in this chimney cap, so you can place them where you need them. Note: the cross bars are held in place by the pressure of the anchors, which is true of all Universals, we just usually tack weld them on so they don't flop all over the place. This cap has a wide range of applications.

PART#	SIZE
SUPER CAPS	
#114	BLACK 5/8" MESH 18"X34"
#116	S.S 5/8" MESH 18"X34"
BAFFLES	
#120	BAFFLE BLACK (END) 8"X13"
#139	BAFFLE BLACK (SIDE) 8"X20"
#149	BAFFLE SS (END) 8"X13"
#259	BAFFLE SS (SIDE) 8"X20"
#338	CAP BROCHURES(100)

CPI UNIVERSAL CHIMNEY CAP FOR THE MIDWEST AND NORTH EAST



The Universal Chimney Cap also comes in $\frac{3}{4}$ " mesh as shown in the above picture. The 13"x13" Universal Chimney Cap will fit down to an 8"x8" and everything in between (like 9", 10", 12" and 13" masonry rounds). They are constructed with the same quality materials as the California 13"x13", just in the $\frac{3}{4}$ " mesh size. The packaging is different because of it's size, you can buy either a Single or a 5-Pack. Galvanized caps come with a 6 year guarantee. Stainless steel caps come with a **LIFETIME GUARANTEE!**

FOR THE SOUTH AND SOUTH WEST



If your service area has a lot of 8"x17.5", 13"x17.5", 13"x13" or a lot of chimneys without raised flue liners, then this would be perfect for you and your customers. You get a great quality cap in stainless steel or black and it comes in a Single or economical 4-Pack! It has big screen area for it's size and you only have to carry one cap.


PART#	SIZE
BLACK POWDER COATED	
#110	BLACK $\frac{3}{4}$ " MESH 13"x13"
#106	BLACK $\frac{3}{4}$ " MESH 13"x18"
#265	BLACK $\frac{3}{4}$ " MESH 18"x18"
#123	BLACK $\frac{3}{4}$ " MESH 22"x22"
#115	BLACK $\frac{3}{4}$ " MESH 18"x34"
STAINLESS STEEL	
#112	S.S $\frac{3}{4}$ " MESH 13"x13"
#107	S.S $\frac{3}{4}$ " MESH 13"x18"
#266	S.S $\frac{3}{4}$ " MESH 18"x18"
#288	S.S $\frac{3}{4}$ " MESH 22"x22"
#267	S.S $\frac{3}{4}$ " MESH 18"x34"
BAFFLES	
#149	BAFFLE SS (END) 8"x13"
#120	BAFFLE BLACK (END) 8"x13"
#338	CAP BROCHURES (100)

**COPPER
POWDER
COATING
AVAILABLE**
★★★

CPI UNIVERSAL DAMPER KIT

This Universal Damper Kit fits inside our Universal Chimney Caps to make a full damper cap. The damper can be shut to seal the chimney nearly airtight with it's adjustable hi-temp fiberglass gasket. Anything the Universal Cap will fit so will the damper! Four sizes are available: 13"x20.5", 13"x13", 13"x18" and 18"x18". Damper Kits are all 304 Stainless Steel and come with a **LIFETIME GUARANTEE!**

PART#	SIZE
#292	13"X20.5"
#290	13"X13"
#291	13"X18"
#293	18"X18"
ACCESSORIES FOR DAMPER KIT	
#518	CAP DAMPER BROCHURES(100 PACK)
#515	32' DAMPER KIT CABLE
#270	50' CABLE
#249	DAMPER SPRING
#275	BALL CHAIN HANDLE
#273	FIBERGLASS GASKET
#276	CABLE CASING



CPI UNIVERSAL MULTI-CAGE LID

What is a Multi-Cage Lid? It is one lid, that covers two Universal Chimney Cap cages. It is used to cover two flues that are next to each other. **Fully compatible with our Universal Damper Kits!**

A Multi Cage Lid is used to create odd sized chimney caps from standard Universal Chimney Caps. For example: Two 13"x13" Universal Chimney Caps cages placed end to end gives you a 13"x26" cap that adjusts down to 6"x19". You can also put dampers in each cap! Remember, with a Universal Chimney Cap you get 7" of adjustment in any dimension! We have Multi-Cage Lids for either End to End or Side by Side cages. Galvanized lids come with a 6 year guarantee. Stainless steel lids come with a **LIFETIME GUARANTEE!**

Note: The below prices are for the lid only! The price for the complete cap would be the cost of the two desired cap sizes minus \$12 for stainless or \$6 for galvanized plus the cost of the desired multi lid.



PART#	TYPE	CAGE	CAP SIZE
BLACK POWDER COATED			
#127	END TO END	20.5"X13"+13"X13"	13"X33"
#128	END TO END	20.5"X13"+20.5"X13"	13"X41"
#129	SIDE BY SIDE	20.5"X13"+20.5"X13"	20.5"X26"
#130	END TO END	13"X18"+13"X18"	13"X36"
#131	SIDE BY SIDE	13"X18"+13"X18"	18"X26"
#132	END TO END	13"X13"+13"X13"	13"X26"
#133	END TO END	13"X13"+13"X18"	13"X31"
#408	END TO END	18"X18"+18"X18"	18"X36"
#454	END TO END	22"X22"+22"X22"	22"X44"

PART#	TYPE	CAGE	CAP SIZE
STAINLESS STEEL			
#400	END TO END	20.5"X13"+13"X13"	13"X33"
#401	END TO END	20.5"X13"+20.5"X13"	13"X41"
#402	SIDE BY SIDE	20.5"X13"+20.5"X13"	20.5"X26"
#403	END TO END	13"X18"+13"X18"	13"X36"
#404	SIDE BY SIDE	13"X18"+13"X18"	18"X26"
#405	END TO END	13"X13"+13"X13"	13"X26"
#406	END TO END	13"X13"+13"X18"	13"X31"
#409	END TO END	18"X18"+18"X18"	18"X36"
#456	END TO END	22"X22"+22"X22"	22"X44"

CPI 5/8" MESH SINGLE FLUE CHIMNEY CAP FOR CALIFORNIA

Solid, rugged and easy to install. You can feel confident your customers will appreciate your using the highest quality chimney cap that will give them a lifetime of trouble free service. Comes in either a Single Pack, 2-Pack or a 4-Pack. Galvanized caps come with a 6 year guarantee. Stainless steel caps come with a **LIFETIME GUARANTEE!**



All California 5/8" mesh Single Flue Caps come with slips in corners for a perfect fit on ovals and no downsizing on rectangular flues.



Lid removes for easy servicing.



PART#	SIZE
BLACK POWDER COATED	
#410	8"X8" SQUARE/ROUND
#411	8"X13" OVAL/RECTANGLE
#412	8"X17.5" OVAL/RECTANGLE
#413	8.5"X18.75" OVAL/RECTANGLE
#418	9.5"X18.5" OVAL/RECTANGLE
#414	10"X17.5" OVAL/RECTANGLE
#419	12.5"X16" OVAL/RECTANGLE
#415	13"X13" OVAL/RECTANGLE
#416	13"X17.5" OVAL/RECTANGLE
#417	13"X21" OVAL/RECTANGLE
#457	17.5"X17.5" OVAL/RECTANGLE
#459	17"X21" OVAL/RECTANGLE
#379	BLACK KEYHOLE ANCHOR (4 ANCHORS + 4 TAPCONS)
#606	BLACK LEG KIT (4 LEGS + 4 WING NUTS)
#605	BLACK CORNERS (4)
#338	CAP BROCHURES (100)
STAINLESS STEEL	
#420	8"X8" SQUARE/ROUND
#421	8"X13" OVAL/RECTANGLE
#422	8"X17.5" OVAL/RECTANGLE
#423	8.5"X18.75" OVAL/RECTANGLE
#428	9.5"X18.5" OVAL/RECTANGLE
#424	10"X17.5" OVAL/RECTANGLE
#429	12.5"X16" OVAL/RECTANGLE
#425	13"X13" OVAL/RECTANGLE
#426	13"X17.5" OVAL/RECTANGLE
#427	13"X21" OVAL/RECTANGLE
#458	17.5"X17.5" OVAL/RECTANGLE
#464	17"X21" OVAL/RECTANGLE
#359	S.S. KEYHOLE ANCHORS (4 ANCHORS + 4 TAPCONS)
#608	S.S. LEG KIT (4 LEGS + 4 WING NUTS)
#607	S.S. CORNERS (4)
#338	CAP BROCHURES (100)

NOTE: CAPS COME WITH INSERT CORNERS INCLUDED.
ABOVE DIMENSIONS ADJUST TO FIT UP TO 1" LARGER AND 1.5" SMALLER (2.5" ADJUSTMENT RANGE)

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

CPI 3/4" MESH SINGLE FLUE CHIMNEY CAP



Solid, reliable, heavy duty, all 304 stainless steel, 24 gauge stamped lid, 18 gauge expanded metal mesh and 18 gauge roll formed base.



Comes in either a Single, 2-Pack or a 4-Pack for economical shipping and storage. Guaranteed for a lifetime of trouble free service. Galvanized caps come with a 6 year guarantee. Stainless steel caps come with a **LIFETIME GUARANTEE!**



Leg Kits come 4 to a pack, with wing nuts to attach them to the screws in the caps. An easy way to handle chimneys that don't have a raised flue liner. For heavy wind conditions it is better to use the Key-Hole Anchors.



Key-Hole Anchors are L-Brackets with a key-hole punched into them so you can slip them over the existing screws in the cap or cap-damper and secure the cap with the tapcons (included) on chimneys without a raised flue liner.

PART#	SIZE
BLACK POWDER COATED	
#370	8"x8"
#371	8"x13"
#372	8"x17"
#375	12"x12"
#376	12"x16"
#373	13"x13"
#374	13"x17.5"
#833	13"x21"
#378	17.5"x17.5"
#835	17.5"x21"
#379	BLACK KEYHOLE ANCHOR (4 ANCHORS + 4 TAPCONS)
#606	BLACK LEG KIT (4 LEGS + 4 WING NUTS)
#605	BLACK CORNERS (4)
#338	CAP BROCHURES (100)
STAINLESS STEEL	
#339	4"x8"
#350	8"x8"
#351	8"x13"
#352	8"x17"
#353	13"x13"
#355	12"x12"
#356	12"x16"
#354	13"x17.5"
#834	13"x21"
#358	15.5"x15.5"
#357	17.5"x17.5"
#836	17.5"x21"
#368	8"x21"
#369	8"x27"
#359	S.S. KEYHOLE ANCHORS (4 ANCHORS + 4 TAPCONS)
#608	S.S. LEG KIT (4 LEGS + 4 WING NUTS)
#607	S.S. CORNERS (4)
#338	CAP BROCHURES (100)

NOTE: 52+,100+,200+ PRICES ONLY GOOD IN 4-PACKS

NOTE: ABOVE DIMENSIONS ADJUST TO FIT UP TO 1" LARGER AND 1.5" SMALLER (2.5" ADJUSTMENT RANGE)



CPI 5/8" MESH ICE BREAKER DAMPER CAP FOR CALIFORNIA



CPI's **LIFETIME GUARANTEE** Cap-Damper. Easy to install, all 304 stainless steel top sealing damper. Doesn't downsize the flue, can be used on a California oval, square or rectangle. Seals air tight and takes only 13 lbs. of pull pressure to open or close. California 5/8" mesh screen.

Comes with 32 feet of stainless steel cable, 3 feet of stainless steel cable guard to protect the cable at the flue offset, 10.5 oz. tube of RTV clear 100% silicone and a **Lifetime Guarantee!**



Springs are inside the cap lid and are protected from the heat by the damper plate. There are two springs as a safety precaution. The damper will still open even if one of the springs is broken! The damper plate closes against the gasket for a tight seal.

PART#	SIZE
#550	8"X8" SQUARE/ROUND
#552	8"X13" OVAL/RECTANGLE
#554	8"X17" OVAL/RECTANGLE
#556	8.5"X18.75" OVAL/RECTANGLE
#558	9.5"X18.5" OVAL/RECTANGLE
#560	10"X17.5" OVAL/RECTANGLE
#562	13"X13" SQUARE/ROUND
#561	12"X16" OVAL/RECTANGLE
#564	13"X17.5" OVAL/RECTANGLE
#565	17.5"X17.5" SQUARE/ROUND
#566	13"X21" OVAL/RECTANGLE
#359	KH ANCHORS
#517	HARDWARE PACK (BRACKET, B/C, TAPCONS, CABLE LOCK)
#275	BALL CHAIN HANDLE
#276	CABLE CASING
#249	C-D SPRINGS(2)
#523	C-D 32" CABLE
#516	20' CLIP EXTENSION
#270	50' CABLE
#518	CAP DAMPER BROCHURES
#359	S.S KEYHOLE ANCHORS (4 ANCHORS + 4 TAPCONS)
#608	S.S LEG KIT (4 LEGS + 4 WING NUTS)
#607	S.S CORNERS (4)

ABOVE DIMENSIONS ADJUST TO FIT UP TO 1" LARGER AND 1.5" SMALLER (2.5" ADJUSTMENT RANGE)

CPI 3/4" MESH ICE BREAKER DAMPER CAP



CPI's **LIFETIME GUARANTEE** Cap-Damper. The same sturdy, reliable , rugged, easy to install, all 304 stainless steel single flue chimney cap with a damper built in.



Huge heat loss occurs when a chimney damper does not seal properly or is missing or broken. Our top sealing damper can prevent added heating and cooling costs for your clients year round.



Comes with 32 feet of stainless steel cable, 3 feet of stainless steel cable guard to protect the cable at the flue offset, 10.5 oz. tube of RTV clear 100% silicone and a **LIFETIME GUARANTEE!**




Chimney's are easily serviceable for cleanings or other maintenance simply by removing the lid (as show here).

PART#	SIZE	CROSS-SECTIONAL AREA
#500	8"X8"	49 SQ IN
#502	8"X13"	72 SQ IN
#504	8"X17.5"	93 SQ IN
#506	12"X12"	110 SQ IN
#508	12"X16"	147 SQ IN
#510	13"X13"	131 SQ IN
#512	13"X17.5"	170 SQ IN
#514	17"X17"	217 SQ IN
#511	13"X21"	217 SQ IN
#513	15"X15"	182 SQ IN
#518	CAP DAMPER BROCHURES	

NOTE: 4 OR 10 OF ANY SIZES QUALIFIES YOU FOR DISCOUNTS
ABOVE DIMENSIONS ADJUST TO FIT UP TO 1" LARGER AND 1.5" SMALLER (2.5" ADJUSTMENT RANGE)

PART#	DESCRIPTION
ACCESSORIES FOR ICE BREAKER	
#517	HARDWARE PACK (BRACKET, B/C, TAPCONS, CABLE LOCK)
#523	32' CABLE
#270	50' CABLE
#275	BALL CHAIN HANDLE
#276	CABLE CASING
#249	C-D SPRINGS(2)
#607	CORNERS
#516	20' CLIP EXTENSION
#518	CAP-DAMPER BROCHURES
#322	CLEAR SILICONE


CPI BUTTERFLY DAMPER



CPI's top-sealing Butterfly Damper is great for those chimneys that don't have a raised flue liner, under Multi-Flue chimney caps, or as a low profile stand alone damper. Constructed of 304 stainless steel, spring loaded, it's simple for your customer to use and easy to install (just silicone it on). Comes with a **LIFETIME GUARANTEE!**



Each damper comes with a 32' cable, 3' of SS cable guard for the offset of the flue, 10 oz. tube of silicone and a firebox bracket pack.



PART#	NAME	O.D. (A-B)	I.D. (C-D)	OPEN HEIGHT	CROSS SECTION
SIZING CHART FOR BUTTERFLY DAMPERS					
#781	8"X8"	10.5"X10.5"	7"X7"	4"	41 SQ. IN.
#782	8"X13"	10"X14"	6.75"X10.75"	5.5"	65.75 SQ. IN.
#783	8"X17.5"	9.25"X18.75"	6"X15.5"	3.5"	87 SQ. IN.
#794	8"X21"	9.25"X 22"	6"X18.75"	3.5"	111 SQ. IN.
#784	12"X12"	13.75"X13.75"	10.5"X10.5"	6"	99.75 SQ. IN.
#787	13"X13"	14.25"X14.25"	11"X11"	6.25"	110 SQ. IN.
#785	12"X16"	14"X17"	10.75"X10.75"	6"	137 SQ. IN.
#788	13"X17.5"	14.75"X18.75"	11"X15.5"	6.25"	159.50 SQ. IN.
#789	13"X21"	14.25"X23.25"	11"X19.75"	6.25"	217.25 SQ. IN.
#795	13"X26"	14.25"X28.25"	11"X25"	6.25"	272.25 SQ. IN.
#786	17"X17"	18"X18"	14.75"X14.75"	8"	202.75 SW

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | FAX: 818-485-2800 | EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

CPI BUTTERFLY CAP DAMPER 3/4" MESH ONLY



Just like the Butterfly Damper, the Butterfly Cap Damper gives you access to the chimney with the removal of only a couple wingnuts. Because of it's design, the Butterfly Cap Damper installs on either a chimney with a raised tile flue (liner) or on chimney that does not have a tile liner above the crown. Simply attach with silicone provided! Comes with a **LIFETIME GUARANTEE!**



Each damper cap comes with a 32' cable, 3' of SS cable guard for the offset of the flue, 10 oz. tube of silicone and a firebox bracket pack.



You can still service the chimney from the top with this damper! All you do is take off the lid and a couple of wingnuts.



Huge heat loss occurs when a chimney damper does not seal properly or is missing or broken. Our top sealing damper can prevent added heating and cooling costs for your clients year round.

PART#	NAME	O.D. (A-B)	I.D. (C-D)	OPEN.HEIGHT	CROSS SECTION
-------	------	------------	------------	-------------	---------------

SIZING CHART FOR BUTTERFLY CAP DAMPERS



#751	8"X13"	10"X14"	6.75"X10.75"	5.5"	65.75 SQ. IN.
#752	8"X17.5"	9.25"X18.75"	6"X15.5"	3.5"	87 SQ. IN.
#753	12"X12"	13.75"X13.75"	10.5"X10.5"	6"	99.75 SQ. IN
#756	13"X13"	14.25"X14.25"	11"X11"	6.25"	110 SQ IN
#754	12"X16"	14"X17"	10.75"X10.75"	6"	137 SQ. IN.
#755	13"X17.5"	14.75"X18.75"	11"X15.5"	6.25"	159.50 SQ IN
#757	17"X17"	18"X18"	14.75"X14.75"	8"	202.75 SW

ITEM#	DESCRIPTION
-------	-------------

ACCESSORIES FOR BUTTERFLY DAMPERS AND CAP-DAMPERS

#517	HARDWARE PACK (BRACKET, B/C, TAPCONS, CABLE LOCK)
#523	32' CABLE
#275	BALL CHAIN HANDLE
#276	CABLE CASING
#297	BF SPRINGS(2)
#607	CORNERS
#516	20' CLIP EXTENSION
#518	CAP-DAMPER BROCHURES
#322	CLEAR SILICONE

CPI CHIMNEY CAP FOR SINGLE WALL/SOLID PACK AND AIR INSULATED CAP FOR METAL CHIMNEYS



The cap on the left is the replacement cap for the single wall or solid pack metal chimney systems. These chimney caps have a tight, friction fit, which we recommend you help along with a little silicone to keep it in place. The cap on the right is designed for air insulated chimneys (double or triple wall). It has a tight, friction fit, which we also recommend you help along with silicone to keep it in place. Stainless steel caps come with a **LIFETIME GUARANTEE!**



"MONSOON" CAP

A replacement lid for our standard chimney cap for metal chimneys that turns them into a Monsoon Cap to keep out driving rain. Just change them out with the one wingnut on top.

The Monsoon Cap attachment cures most wind related downdraft problems. Its design actually increases draft as the wind speed increases. So if the smoking problem is wind related, the Monsoon and a Smoke Guard usually handle it. **Note: items in RED are compatible with the 13" OD (outside diameter) Monsoon Cap attachment, and items in BLACK are compatible with the 16" OD caps. Monsoon Caps are an addition to a solid or air cooled cap, they do not replace one.**




PART#	ID	OD
SINGLE WALL/SOLID PACK		
#1226	6"	13"
#1227	7"	13"
#1228	8"	13"
#1229	9"	16"
#1230	10"	16"
PART#	ID	OD
SINGLE WALL/SOLID PACK CALIFORNIA SMALL MESH		
#1206	6"	13"
#1207	7"	13"
#1208	8"	13"
#1209	9"	16"
#1210	10"	16"
MONSOON CAP ATTACHMENT		
#1260	13"	
#1261	16"	

PART#	ID	OD
AIR INSULATED		
#1236	6"	16"
#1237	7"	16"
#1238	8"	16"
#1239	9"	16"
#1240	10"	16"
PART#	ID	OD
AIR INSULATED CALIFORNIA SMALL MESH		
#1216	6"	16"
#1217	7"	16"
#1218	8"	16"
#1219	9"	16"
#1220	10"	16"

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



CPI ROUND ICE BREAKER

Available in both 1/2" mesh and 1" mesh. The Round Ice Breaker is just as rugged and reliable as it's square counterpart. It is made of all 304 stainless steel. We tested it by freezing it well below freezing temperatures and it opened every time, no problem. Comes with a Lifetime Guarantee!



PART#	ID	OD
SINGLE WALL/SOLID PACK 1" MESH		
#1262	6"	13"
#1263	7"	13"
#1264	8"	13"
#1265	9"	16"
#1266	10"	16"

PART#	ID	OD
SINGLE WALL/SOLID PACK CALIFORNIA 1/2" SMALL MESH		
#1252	6"	13"
#1253	7"	13"
#1254	8"	13"
#1255	9"	16"
#1256	10"	16"

PART#	ID	OD
AIR INSULATED 1" MESH		
#1272	6"	16"
#1273	7"	16"
#1274	8"	16"
#1275	9"	16"
#1276	10"	16"

PART#	ID	OD
AIR INSULATED CALIFORNIA 1/2" SMALL MESH		
#1267	6"	16"
#1268	7"	16"
#1269	8"	16"
#1270	9"	16"
#1271	10"	16"

PART#	DESCRIPTION
ACCESSORIES FOR ICE BREAKER	
#517	HARDWARE PACK (BRACKET, B/C, TAPCONS, CABLE LOCK)
#523	32' CABLE
#270	50' CABLE
#275	BALL CHAIN HANDLE
#276	CABLE CASING
#249	C-D SPRINGS(2)
#607	CORNERS
#516	20' CLIP EXTENSION
#518	CAP-DAMPER BROCHURES
#322	CLEAR SILICONE

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

CPI DROP-IN DAMPERS

The all 304 stainless steel Drop-In Damper can be used with most existing chimney caps. Just remove the cap, drop in the damper or slide the legs of the Drop-In Damper into the cap, and put it in the flue. Constructed of 14 gauge, 304 stainless steel, with a special frost breaking feature. It is easy to install and simple for the customer to operate. Comes with a **LIFETIME GUARANTEE**, and uses our standard cable and handle assembly. Uses a counterweight principle to open and close the damper plate.



PART	SIZE	Damper O.D
#1406	6" ROUND	5.75"
#1407	7" ROUND	6.75"
#1408	8" ROUND	7.75"
#1409	9" ROUND	8.75"
#1410	10" ROUND	9.75"
#1411	11" ROUND	10.75"
#1412	12" ROUND	11.75"
#1414	14" ROUND	13.75"
#1416	16" ROUND	15.75"
#523	32' CABLE	
#517	HARDWARE PACK (BRACKET, B/C, TAPCONS, CABLE LOCK	
#575	BALL CHAIN HANDLE	
#576	CABLE CASING	
#516	20' CLIP EXTENSION	
#518	CAP-DAMPER BROCHURES	

CPI ROUND MASONRY 5/8" & 3/4" MESH

The CPI Round Masonry Cap comes in your choice of black or stainless steel. These caps are used on round masonry flues. Our Drop In Dampers can also be used with these caps. Galvanized caps come with a 6 year guarantee. Stainless steel caps come with a **LIFETIME GUARANTEE!**



PART#	DESCRIPTION	SIZE
STAINLESS STEEL		
#465	¾ MESH	8 ROUND FITS OD'S 6"-8.5"
#467	¾ MESH	10"ROUND FITS ODS 8"-10.5"
#468	¾ MESH	12"ROUND FITS ODS 10.5"13"
#469	¾ MESH	15"ROUND FITS ODS 13"-16"

PART#	DESCRIPTION	SIZE
BLACK POWDER COATED		
#460	¾ MESH	8" ROUND, FITS OD'S 6"-8.5"
#461	¾ MESH	10"ROUND FITS ODS 8"-10.5"
#462	¾ MESH	12"ROUND FITS ODS 10.5"13"

PART#	DESCRIPTION	SIZE
STAINLESS STEEL 5/8" MESH FOR CALIFORNIA		
#475	5/8 MESH	8 ROUND FITS OD'S 6"-8.5"
#476	5/8 MESH	10"ROUND FITS ODS 8"-10.5"
#477	5/8 MESH	12"ROUND FITS ODS 10.5"13"
#479	5/8 MESH	15"ROUND FITS ODS 13"-16"

PART#	DESCRIPTION	SIZE
BLACK POWDER COATED 5/8" MESH FOR CALIFORNIA		
#470	5/8 MESH	8 ROUND FITS OD'S 6"-8.5"
#471	5/8 MESH	10"ROUND FITS ODS 8"-10.5"
#472	5/8 MESH	12"ROUND FITS ODS 10.5"13"

CPI 5/8" MESH MULTI-FLUE CHIMNEY CAPS FOR CALIFORNIA



All CPI Multi Flue Cap sizes have reversible side panels for ease of installation, lids with held-on studs and wing nuts for easy service, 10" screen height, and come boxed in knock down form to save on space and freight! Galvanized caps come with a 6 year guarantee. Stainless steel caps come with a **LIFETIME GUARANTEE!**


PART#	DESCRIPTION
BLACK POWDER COATED 5/8" MESH FOR CALIFORNIA	
#361	17"X17"
#570	22"X22"
#574	28"X28"
#388	17"X29"
#580	17"X35"
#389	17"X41"
#391	17"X49"
#390	17"X58"
#365	17"X64"
#394	BAFFLE 8"x17"
STAINLESS STEEL 5/8" MESH FOR CALIFORNIA	
#360	17"X17"
#571	22"X22"
#575	28"X28"
#382	17"X29"
#581	17"X35"
#383	17"X41"
#392	17"X49"
#384	17"X58"
#364	17"X64"
#393	BAFFLE 8"x17"

NOTE: ALL MULTI-FLUE CAPS COME WITH TAPCONS AND SILICONE ADHESIVE FOR MOUNTING

Baffles are available for both Stainless Steel and Black Caps. When covering 2 or more flues, sometimes a "smoke over" problem occurs (smoke from one flue going down another). A baffle between the flues usually eliminates this when it occurs.



Comes in a knock-down form to save on space and freight!



The anchoring flange at the base of the Multi-Flue chimney cap can face either in or out, on any side, to give a great fit. Adjusts down to 3".

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

CPI 3/4" MESH MULTI-FLUE CHIMNEY CAPS



PART#	SIZE	LID SIZE	HEIGHT
BLACK POWDER COATED			
#595	13.5"X13.5"	19.5"X19.5"	10"
#363	17"X17"	23.5"X23.5"	10"
#572	22"X22"	31"X31"	10"
#576	28"X28"	35"X35"	10"
#385	17"X29"	24"X36"	10"
#593	17"X35"	24"X42"	10"
#386	17"X41"	24"X48"	10"
#395	17"X49"	24"X56"	10"
#387	17"X58"	24"X65"	10"
#367	17"X64"	24"X71"	10"
#394	BAFFLE FOR 17" WIDTH CAPS		
STAINLESS STEEL			
#568	9"X13"	15"X20"	10"
#596	13.5"X21"	20.5"X28"	10"
#597	13.5"X26"	20.5"X33"	10"
#697	13.5"X29"	20.5"X36"	10"
#598	13.5"X34"	20.5"X41"	10"
#599	13.5"X41"	20.5"X48"	10"
#594	13.5"X13.5"	19.5"X19.5"	10"
#362	17"X17"	23.5"X23.5"	12"
#573	22"X22"	31"X31"	12"
#577	28"X28"	35"X35"	12"
#569	17"X21"	24"X28"	12"
#380	17"X29"	24"X36"	12"
#592	17"X35"	24"X42"	12"
#381	17"X41"	24"X48"	12"
#396	17"X49"	24"X56"	12"
#279	17"X58"	24"X65"	12"
#366	17"X64"	24"X71"	12"
#398	BAFFLE FOR 13.5" WIDTH CAPS		
#393	BAFFLE FOR 17" WIDTH CAPS		

NOTE: ALL MULTI-FLUE CAPS COME WITH TAPCONS AND SILICONE ADHESIVE FOR MOUNTING

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | FAX: 818-485-2800 | EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

THE CPI MODULAR CHIMNEY CAP



The Modular chimney cap ships in a standard FedEx shippable box, no additional expensive freight charges! Choose the width you need: 13.5", 17", 22" OR 28" widths. Assembles and installs like regular Multi-Flue Chimney Caps, just a two part lid! Like our Multi-Flue Chimney Cap, the flange on the cage bottom is reversible. Need it smaller? No problem. Just overlap the side panels and lid. Need it longer? Just add as many center sections as you need. Comes with a **LIFETIME GUARANTEE!**

PART#	WIDTH	BASIC SIZE	REDUCED SIZE
MODULAR CHIMNEY CAPS STAINLESS STEEL			
#950	13.5"	13.5"X 61"	13.5"X46"-51"-56"
#952	17"	17"X81"	17"X66" -71"- 76"
#954	22"	22"X41"	22"X31" - 36"
#956	28"	28"X41"	28"X31" - 36"

PART#	WIDTH	BASIC SIZE	REDUCED SIZE
MODULAR CHIMNEY CAPS S.S. CALIFORNIA 5/8 MESH			
#960	17"	17"X81"	17"X66" -71"- 76"
#962	22"	22"X41"	22"X31" - 36"
#964	28"	28"X41"	28"X31" - 36"

PART#	SIZE
MODULAR EXTENSIONS	
#951	13.5"X30
#953	17"X20
#955	22"X20"
#957	28"X20"

PART#	SIZE
CALIFORNIA 5/8 MESH MODULAR EXTENSIONS	
#961	17"X20"
#963	22"X20"
#965	28"X20"



CPI CHIMNEY ANIMAL GUARD 3/4" MESH ONLY




Animal Guards have no lid or top like a chimney cap. They are to keep out animals and additionally act as a spark arrestor. They have 4" screen heights so they easily slip under existing masonry chimney caps. Galvanized comes with a 6 year guarantee. Stainless steel comes with a **LIFETIME GUARANTEE!**

PART#	SIZE
BLACK POWDER COATED	
#700	8"x8"
#702	8"x13"
#704	13"x13"
#706	13"x17.5"
#708	17.5"x17.5"

PART#	SIZE
STAINLESS STEEL	
#701	8"x8"
#703	8"x13"
#705	13"x13"
#707	13"x17.5"
#709	17.5"x17.5"

CPI ROOF ANIMAL GUARD 3/4" MESH ONLY



These CPI roof/vent gaurds are made of heavy duty 18 gauge steel with 12 inch high expanded mesh screen designed to prevent pests and critters from entering a home through roof vents. Simple and easy to install.

PART#	SIZE
BLACK POWDER COATED	
#843	16"x16"
#844	25"x25"
#845	30"x30"

PART#	SIZE
STAINLESS STEEL	
#840	16"x16"
#841	25"x25"
#842	30"x30"

COPPER

Copper is top of the line. As copper ages it gives that unique antique look (patina). Both Stackable Solid Frame chimney caps and Multi-Flue chimney caps have solid copper tops with copper plated stainless steel hardware, bases and screens. They come with a Lifetime Guarantee. The following products are available in copper:

CPI COPPER UNIVERSAL CHIMNEY CAPS



PART#	SIZE
#117	5/8" MESH 13"X20.5"
#617	5/8" MESH 13"X13"
#612	3/4" MESH 13"X13"
#613	5/8" MESH 18"X18"
#615	5/8" MESH 22"X22"

CPI COPPER SINGLE FLUE CAPS 3/4" MESH ONLY



PART#	SIZE
#640	8"x8"
#641	8"x13"
#642	8"x17"
#643	13"x13"
#649	12"x12"
#646	12"x16"
#644	13"x17.5"
#648	15"X15"
#647	17"x17"

CPI COPPER 3/4 MESH ICE BREAKER CAP DAMPER



PART#	SIZE
#890	8"X13"
#891	12"X12"
#892	13"X13"
#893	13"X17"

CPI COPPER MULTI-CAGE LIDS (UNIVERSAL CAPS)

PART#	TYPE	CAGES	CAP SIZE
#627	END TO END	20.5"X13"+13"X13"	13"X33"
#628	END TO END	20.5"X13"+20.5"X13"	13"X41"
#629	END TO END	13"X13"+13"X13"	13"X26"
#618	END TO END	18"X18"+18"X18"	18"X36"
#619	END TO END	22"X22"+22"X22"	22"X44"

CPI COPPER MULTI FLUE CAPS & MODULAR CAPS



PART#	SIZE	LID SIZE	HEIGHT
-------	------	----------	--------

3/4" MESH MULTI FLUE

#1300	14"X14"	22.5"X22.5"	10"
#1301	13.5"X21"	20.5"X28"	10"
#1302	13.5"X26"	20.5"X33"	10"
#1303	13.5"X29"	20.5"X36"	10"
#1304	13.5"X34"	20.5"X41"	10"
#1305	13.5"X41"	20.5"X48"	10"
#1306	17"X17"	23.5"X23.5"	12"
#1307	22"X22"	31"X31"	12"
#1308	28"X28"	35"X35"	12"
#1309	17"X29"	24"X36"	12"
#1310	17"X35"	24"X42"	12"
#1311	17"X41"	24"X48"	12"
#1312	17"X49"	24"X56"	12"
#1313	17"X58"	24"X65"	12"
#1314	17"X64"	24"X71"	12"

5/8" MESH MULTI FLUE FOR CALIFORNIA

#1330	17"X17"	23.5"X23.5"	12"
#1331	22"X22"	31"X31"	12"
#1332	28"X28"	35"X35"	12"
#1333	17"X29"	24"X36"	12"
#1334	17"X35"	24"X42"	12"
#1335	17"X41"	24"X48"	12"
#1336	17"X49"	24"X56"	12"
#1337	17"X58"	24"X65"	12"
#1338	17"X64"	24"X71"	12"

PART#	WIDTH	SIZE	REDUCED SIZE
-------	-------	------	--------------

3/4" MESH MODULARS

#970	13.5"	17"X81"	17"X66" -71"-76"
#972	17"	17"X81"	17"X66"-71"-76"
#974	22"	22"X41"	22"X31"-36"
#976	28"	28"X41"	28"X31"-36"

PART#	SIZE
-------	------

MODULAR EXTENSION

#971	13.5"X30"
#973	17"X20"
#975	22"X20"
#977	28"X20"

PART#	WIDTH	SIZE	REDUCED SIZE
-------	-------	------	--------------

5/8" MESH MODULARS FOR CALIFORNIA

#966	22"	22"X41"	22"X31"-36"
#968	28"	28"X41"	28"X31"-36"

PART#	SIZE
-------	------

MODULAR EXTENSION

#967	+20"
#969	+20"

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

SMOKE GUARDS

When is a good time to use a Smoke Guard? When you see a fireplace with smoke stains discoloring the face of the firebox you know the homeowner has a smoke problem, even if they don't mention it. In most cases this problem is solved with the installation of a smoke guard! Smoke Guards are available in black finish so they "disappear" into the background while they do their job of sending the smoke up the chimney instead of into the living space. Also available in copper and brass.



PART#	DESCRIPTION
#260	4" WIDE BLACK (ADJUSTS FROM 28" TO 48")
#261	6" WIDE BLACK (ADJUSTS FROM 28" TO 48")
#262	8" WIDE BLACK (ADJUSTS FROM 28" TO 48")
#263	4" SHORTY BLACK (ADJUSTS FROM 18" TO 30")
#264	8" LONGY BLACK (ADJUSTS FROM 40" TO 60")

PART#	DESCRIPTION
#680	4" WIDE COPPER (ADJUST FROM 28" TO 48")
#684	6" WIDE COPPER (ADJUST FROM 28" TO 48")
#686	4" WIDE BRASS (ADJUST FROM 28" TO 48")
#687	6" WIDE BRASS (ADJUST FROM 28" TO 48")

STORM COLLARS

Chimney Products Storm Collars help protect exposed chimney pipes against rain, snow and other debris. When used in conjunction with a silicone sealant our storm collars create a completely weather tight bond guaranteed to last. Available in stainless steel, and black or copper powder coating in 6", 8", 10" & 12". Collar openings can reduce by 1-2 inches.



PART#	SIZE
STAINLESS STEEL	
#175	6"
#176	8"
#177	10"
#178	12"

PART#	SIZE
BLACK POWDER COATED	
#180	6"
#181	8"
#182	10"
#183	12"



EMBER GRATES



Our Ember Grates are constructed of heavy-duty channel iron with a special mesh in the center for a cleaner burn.

PART#	SIZE BETWEEN FOOT AND LEG
#631	18" FRONT, BACK 16", DEPTH 12", LEG HEIGHT 4"
#632	23" FRONT, BACK 22", DEPTH 12", LEG HEIGHT 4"
#634	27" FRONT, BACK 22", DEPTH 12", LEG HEIGHT 4"



EXPANDED METAL MESH

This is the same material that is used in our chimney caps. Sometimes you need flat stock to construct things in the field. Comes 4 sheets to a pack, each sheet is 11.5"x33" in both black and stainless.



PART#	DESCRIPTION
5/8" CALIFORNIA MESH EXPANDED METAL	
#690	BLK 11.5"X33"
#691	S.S 11.5"X33"

PART#	DESCRIPTION
3/4" MESH EXPANDED METAL	
#692	BLK 11.5"X33"
#693	S.S 11.5"X33"

FIREPLACE SCREENS

Fireplaces with glass doors, zero clearance, pre-fabs, and just plain old masonry have these curtain-type screens, and they work great. However as they get older they rust and break, no longer slide easily, look bad and are dangerous because they can let sparks out. Replace the screen and make everyone happy and safe! These 19 gauge screens come in a set of two 24" or 30" wide panels. Two screen pulls are included with each set of panels. Screens are available in 1" height increments from 16" to 34".



PART#	DESCRIPTION
#669	16" HIGH BY 24" WIDE SCREEN
#657	17" HIGH BY 24" WIDE SCREEN
#658	18" HIGH BY 24" WIDE SCREEN
#659	19" HIGH BY 24" WIDE SCREEN
#660	20" HIGH BY 24" WIDE SCREEN
#661	21" HIGH BY 24" WIDE SCREEN
#662	22" HIGH BY 24" WIDE SCREEN
#663	23" HIGH BY 24" WIDE SCREEN
#664	24" HIGH BY 24" WIDE SCREEN
#665	25" HIGH BY 24" WIDE SCREEN
#666	26" HIGH BY 24" WIDE SCREEN
#667	27" HIGH BY 24" WIDE SCREEN
#668	28" HIGH BY 30" WIDE SCREEN
#674	29" HIGH BY 30" WIDE SCREEN
#675	30" HIGH BY 30" WIDE SCREEN
#676	31" HIGH BY 30" WIDE SCREEN
#677	32" HIGH BY 30" WIDE SCREEN
#678	33" HIGH BY 30" WIDE SCREEN
#679	34" HIGH BY 30" WIDE SCREEN
#670	BRASS SCREEN PULLS
#671	BLACK SCREEN PULLS



SPRAYON 204 DRY GRAPHITE LUBE

This high-temp graphite spray-on lube (good to 1000 F) will make the screen move freely again. Just spray the rod the screen runs on.

PART#	DESCRIPTION
#603	SPRAYON 204 DRY GRAPHITE LUBE

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

SCREEN VALANCE WITH RODS & REPLACEMENT RODS



Adjustment Screen Valance with Rods for installing replacement screens for any fireplace. The rods and valance extend from 31" to 48". They install with masonry fasteners (included). Unlike regular hearth screens, these don't stick out in front of the fireplace. They can be used with any fireplace with a horizontal intel, just measure the height of the fireplace opening from the intel to the fireplace floor, take off an inch -- the distance from the top of the rod to the top of the fireplace opening -- to order the correct size screen with the valance. Example: fireplace opening height is 28", order a 27" screen with the valance.

Replacement Rods: Sometimes the rods that support the screens need to be replaced. These can also be used with a Smoke Guard to create a valance and make a whole new screen set. Rods extend from 31" to 48".

PART#	DESCRIPTION
#625	VALANCE WITH ROD
#626	REPLACEMENT RODS

CPI HEAT REFLECTOR/SHIELD 304 STAINLESS STEEL FIREBACK



Why use a Heat Reflector? In an unprotected fireplace heat is absorbed into the masonry firewall, which causes the bricks to crack and the mortar to break down, leading to expensive repairs. In a fireplace with a Heat Reflector protecting it, the masonry firewall is exposed to 1/3 less heat. Additional heat is then radiated into the room where it should be and damage to the fireplace is significantly reduced or stopped!

PART#	NAME	HEIGHT	WIDTH	DESCRIPTION
THE HEAT REFLECTOR/SHIELD, 304 STAINLESS STEEL FIREBACK				
#134	SMALL	15"	15"	PLAIN SS
#284	MEDIUM	16"	18"	PLAIN SS
#135	LARGE	20"	20"	PLAIN SS
#136	X LARGE	24"	24"	PLAIN SS
#145	MAGNUM	27"	27"	PLAIN SS
#125	SMALL	15"	15"	BLACK SS
#285	MEDIUM	16"	18"	BLACK SS
#126	LARGE	20"	20"	BLACK SS
#142	X LARGE	24"	24"	BLACK SS
#150	MAGNUM	27"	27"	BLACK SS

NOTE: LEGS COME WITH EACH HEAT REFLECTOR

TO ORDER CALL: 800-366-8677 | FAX: 818-485-2800 | EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

CUT TO FIT REFRACTORY PANELS

For damaged, cracked or otherwise compromised prefab fireplace panels use these Cut to Fit Refractory Panels to increase safety, efficiency and aesthetics. Tested by OMNI-Test Laboratories, Inc and found to meet UL 127 and ASTM C133 requirements at time of testing. All Panels must be heat cured with (5) small fires for approximately thirty minutes to prevent cracking and to maintain the panels guarantee. All panels have a (width) thickness of 2".


Note: All Cut To Refractory Panels ship freight line with a minimum of (2) panels per order. Freight charges will apply.



PART#	DESCRIPTION	SIZE
#200	SMALL BRICK	24" X 33"
#201	SMALL BRICK	42" X 24"



PART#	DESCRIPTION	SIZE
#202	LARGE BRICK	24" X 33"
#203	LARGE BRICK	42" X 24"
#204	LARGE BRICK	22" X 39"




PART#	DESCRIPTION	SIZE
#205	HERRINGBONE	30" X 35"

PART#	DESCRIPTION	SIZE
#206	SMOOTH	12" X 24"


SKAMOL REFRACTORY PANELS

Skamol Refractory Panels are an attractive easy to install factory-built panel replacement option with high temperature resistance and high thermal shock resistance. Lightweight and easier to work with than other concrete or composite panels, Skamol panels have a multitude of design possibilities. With no ceramic fibers and increased insulation capacity Skamol panels can improve combustion and reduce emissions. With its odorless nonirritant burn your clients will feel safe and confident. All panels have a (width) thickness of 1".

Note: All Skamol Refractory Panels ship freight line and freight charges will apply.



PART#	DESCRIPTION	SIZE
#210	BRICK	1" X 24" X 39"
#211	BRICK	1" X 39" X 49"



PART#	DESCRIPTION	SIZE
#212	HERRINGBONE	1" X 24" X 39"
#213	HERRINGBONE	1" X 39" X 49"

ASH DUMP DOORS



Ash Dump Doors are constructed of 16 Gauge Powder Coated Steel (left) and Stainless Steel (right). They fit the standard 4"x8" ash dump opening in the floor of the fire box. Because of the wide 1" flange, the maximum ash dump they will cover is 6"x10". They feature a center pivot door so the homeowners can use their fireplace tools to open and close them by pushing on the rear section. Double size (I.D. 7"x10", O.D. 9"x12") are also available.

PART#	FITS INSIDE	OUTSIDE FLANGE
BLACK POWDER COATED		
#321	4"x8"	6"x10"
#542	7"x10"	9"x12"
#541	5.5"x7.5"	7"x9"

PART#	0.78 in	OUTSIDE FLANGE
STAINLESS STEEL		
#537	4"x8"	6"x10"
#543	7"x10"	9"x12"
#547	5.5"x7.5"	7"x9"

CLEAN OUT DOORS



Clean Out Doors for the outside of ash dumps are constructed of 14-gauge stamped steel with wide flanges for easy installation. The hinged door has a spring clip lock for easy cleaning. Available in two sizes: 8"x8" and 8"x10".

PART#	DESCRIPTION
#324	CLEANOUT 8"x8"
#328	CLEANOUT 8"x10"

LOG LIGHTERS



Whenever you're in a firebox you'll find burnt out log lighters. We offer two types of replacements. Shown at the bottom of the picture is a cast iron log lighter. It has its own legs to stand on, is side jetting and can be attached from either end. It has a 14" length. The next 4 up are standard replacement pipes, they just screw in. Comes with a removable female coupling. Lengths are 12", 18", 24" and 30". The thread is 1/2-14 N.P.T. on both types (National Pipe Thread, actual ruler measures around 3/4).

PART#	DESCRIPTION
#252	12" LOG LIGHTER
#250	18" LOG LIGHTER
#253	24" LOG LIGHTER
#449	30" LOG LIGHTER

VENTED & VENT-FREE GAS LOG SETS (NATURAL GAS & PROPANE)

ALL VENTED sets include: Gas Logs, Grate, Burner, Embers, Damper Clamp, Burner Clips and either Sand (Natural Gas) or Vermiculite (Propane).

ALL VENT FREE sets include: Gas Logs, Burner, Control Valve Embers & ODS System.

ALL PROPANE sets include the required **SAFETY PILOT KIT**.

All gas log sets require a **CONNECTOR KIT**. if you need one don't forget to add it to your order!

BLACKJACK OAK LOG SETS



PART#	DESCRIPTION (NATURAL GAS)
VENTED	
#870	18" BLACKJACK OAK LOG SET
#871	24" BLACKJACK OAK LOG SET
#872	30" BLACKJACK OAK LOG SET

PART#	DESCRIPTION (NATURAL GAS)
VENTED & VENT FREE	
#879	CONNECTOR KIT

SCARLET OAK LOG SETS



PART#	DESCRIPTION (NATURAL GAS)
VENTED	
#873	18" SCARLET OAK LOG SET
#874	24" SCARLET OAK LOG SET
#875	30" SCARLET OAK LOG SET

PART#	DESCRIPTION (NATURAL GAS)
VENT-FREE	
#876	21" SCARLET OAK LOG SET
#877	24" SCARLET OAK LOG SET
#878	30" SCARLET OAK LOG SET

BLACKJACK OAK LOG SETS



SCARLET OAK LOG SETS



PART#	DESCRIPTION
VENTED (PROPANE)	
#880	18" BLACKJACK OAK LOG SET
#881	24" BLACKJACK OAK LOG SET
#882	30" BLACKJACK OAK LOG SET

PART#	DESCRIPTION
VENTED (PROPANE)	
#883	18" SCARLET OAK LOG SET
#884	24" SCARLET OAK LOG SET
#885	30" SCARLET OAK LOG SET

PART#	DESCRIPTION
VENT-FREE (PROPANE)	
#886	21" SCARLET OAK LOG SET
#887	24" SCARLET OAK LOG SET
#888	30" SCARLET OAK LOG SET

GAS LOG CONTROL VALVES

Natural Gas Manual [On, Off & Pilot] Valve

This low-profile gas valve is for use with gas log systems. The manual gas valve features On/Off/Pilot settings to provide simple operation of a gas log fireplace. Note: pilot light must first be lit manually. Must be used with a compatible gas burner system.



PART#	DESCRIPTION
#900	NATURAL GAS MANUAL [ON, OFF & PILOT] VALVE

Natural Gas Manual [On, Off & Pilot] Valve with Remote Control

This low-profile gas valve is for use with a gas log system. The manual gas valve features On/Off/Pilot settings to provide simple operation of a gas log fireplace. Note: pilot light must first be lit manually. This valve includes a remote control with Hi/Low variable flame settings in addition to an On/Off button for extra convenience. Note: to use the remote On/Off or Hi/Low options the pilot light must be lit. Must be used with a compatible gas burner system.



PART#	DESCRIPTION
#901	NATURAL GAS MANUAL [ON, OFF & PILOT] VALVE WITH REMOTE CONTROL:



FLUE FLEX® HEAVYWALL LINER 304

Heavywall is extremely durable and made from .015 Stainless Steel. It features an interlocked design to maximize strength and flexibility. It's the most rugged liner we recommend for those tight winch-able situations. 304 can be used for wood burning appliances. Heavywall can withstand being ovalized and rectanglized to accommodate for unusual offsets or rectangular chimneys. When a liner is taken "out of round" it does reduce the cross sectional area. Not available in a kit; components are sold separately.

	3"	4"	5"	5.5"	6"	7"	8"	9"	10"	11"	12"
10'	#1420	#1421	#1422	#1423	#1424	#1425	#1426	#1427	#1428	#1429	#1430
15'	#1431	#1432	#1433	#1434	#1435	#1436	#1437	#1438	#1439	#1440	#1441
20'	#1442	#1443	#1444	#1445	#1446	#1447	#1448	#1449	#1450	#1451	#1452
25'	#1453	#1454	#1455	#1456	#1457	#1458	#1459	#1460	#1461	#1462	#1463

	13"	14"	16"	18"
Per Foot	#1464	#1466	#1468	#1470

OVALIZED

Need an ovalized size? We can do it for you...

OVALIZELW: \$1.50 per foot

OVALIZEHW: \$2.00 per foot

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



INSULATION KIT

Includes: 4ML aluminum backed Wrap, Mesh, Mesh Clamps, Foil Tape & Adhesive Spray.

			1/4 W/4ML FOIL	1/2 W/4ML FOIL
FITS LINER SIZES	INSULATION ROLL WIDTH	LENGTH	ACHIEVES A 1" CLEARANCE TO COMBUSTIBLES	PROVIDES A ZERO CLEARANCE REQUIREMENT
3" - 6"	24"	25'	#2501	#2502
		35'	#2503	#2504
7" - 8"	30"	25'	#2505	#2506
		35'	#2507	#2508



FOIL TAPE 3" X 150'

PART#	DESCRIPTION
#2509	FOIL TAPE



STAINLESS STEEL WIRE 1 LB. COIL

PART#	DESCRIPTION
#2510	ROLL OF WIRE



ADHESIVE SPRAY 12 OZ. CAN

PART#	DESCRIPTION
#2511	SPRAY CAN

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | FAX: 818-485-2800 | EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

MASONRY SUPPLIES



PR88 HAND PROTECTION

is a cream which keeps dirt and soot from contacting your skin. Just put a small dab on your hands before going to work. Rub it on and let it dry and you're ready to go. Work all day and get as dirty as you like. When you're ready to clean up just wash your hands with soap and water. Contains no silicones or preservatives, just natural ingredients. 1 litre should give you about 600 applications.

PART#	DESCRIPTION
#587	1 LITRE CAN
#588	100 ML CAN



SILICONE SEALANT

RTV (Room Temperature Vulcanizing -- cures at room temperature) Silicone is the general adhesive and sealant of choice for the chimney pro's. Because it bonds to just about anything, stays elastic and withstands temperatures of 500 F constant, it's used for just about everything except firebox repair! Comes in clear or black in an easy to use caulking tube.

PART#	DESCRIPTION
#322	CLEAR SILICONE
#323	BLACK SILICONE



RED SILICONE SEALANT

This is the RTV red silicone sealant that is rated at 550F continuous and 600F intermittent. RTV stands for "room temperature vulcanize", meaning it cures at room temperature. So when you need the highest temperature rating, this is the one to use.

PART#	DESCRIPTION
#747	RED SILICONE



HI-TEMP STOVE & GRILL PAINT

Flat black paint that resists peeling and blistering up to 1200F. Fast drying.

PART#	DESCRIPTION
#736	SPRAY CAN
#767	BRUSH ON PINT



150' REINFORCEMENT ROLL

PART#	DESCRIPTION
#733	150' (FLASH SEAL) REINFORCEMENT ROLL



CHIMNEY SAVER

Chimney Saver (water based) can be applied in damp conditions, does not discolor or damage asphalt shingles, non combustible and has no chemical odor.


PART#	DESCRIPTION
#440	CHIMNEYSAVER (WATER BASED) 5 GAL
#442	BROCHURES



FLASH SEAL

Flash Seal from Saver Systems is a long-lasting flashing repair system designed to stop leaks from faulty or deteriorated flashing around chimney stacks and vents. Flash seal elastomeric sealant is available in one gallon containers and is used in conjunction with flashseal reinforcement fabric sold separately in 150 ft rolls. One roll of reinforcement fabric will last through 3-4 gallons of flashseal . The only tools needed are a pair of scissors and a 3 or 4 inch paint brush.

PART#	DESCRIPTION
#732	FLASHSEAL (BLACK)
#716	FLASHSEAL (BROWN)
#717	FLASHSEAL (WHITE)
#734	BROCHURES (100)
#733	150' REINFORCEMENT ROLL



PWR

PWR is a dry mix water repellent from the folks at Saver Systems. Its designed to be added to mortar mix to make it waterproof. PWR comes in a 32 oz container with a measuring cup. Add one oz. for each 15 lbs of mortar mix. When you do crowns or tuckpointing it will be waterproof when it cures.

PART#	DESCRIPTION
#539	PWR

PCR



PCR is a revolutionary product designed to completely remove 3rd degree glazed creosote from flue tiles or stainless steel chimney liners. When PCR is applied, it dissolves the creosote and absorbs it. As it absorbs the creosote and dries, it loses its adhesive properties and falls off the sides of the flue tiles. Any remaining PCR can be easily removed by chimney sweeping. PCR can be applied by brush in areas that are easily accessible or with a specially designed tool that can be pulled up through the chimney by a winch. To remove glazed creosote in smoke chambers, PCR can be applied with SaverSystems' Smoke Chamber Sprayer. PCR should be used where glazed creosote is present in order to eliminate the dangers of chimney fires.

PART#	DESCRIPTION
#812	PCR



CROWN SEAL

Crown Seal is another fine product from saver systems. Crown Seal is used wherever a long-lasting exterior waterproof membrane is needed as on chimney crowns, the top of masonry walls and after stucco repair. Comes with a 10 year warranty, stays permanently flexible and no bonding agent is required. Has a natural concrete /mortar look and is ready to use right out of the container (no mixing) . Crown Seal can be used as a bonding mortar to replace badly spalled brick unit or for parging over brick faces that may have spalled,(if remaining brick is solid). Product can be used for crack repair. Surface grouting and tuckpointing. Coverage:at 1/8" thickness,14-18 sq. ft. per gallon. At 1/4" thickness 7-9 sq. ft per gallon depending on texture and porosity of surface to be coated. Dries to touch within one hour. Cures completely in 24-72 hours depending on thickness. This product is freeze/thaw stable. Comes in either 2 or 5 gallon recyclable plastic containers.

PART#	DESCRIPTION
#600	CROWNSEAL 2 GAL
#601	CROWNSEAL 5 GAL
#602	BROCHURES (100)



CROWN COAT

Crown Coat from Saver System covers 80 sq. ft. with just one 2 gallon bucket, it dries in two to four hours and goes on with a paint brush. This product comes premixed and ready to use or can be custom colored with standard mortar dye. Crowncoat has a 15 year limited warranty and saves you about 50% over other crown coatings per application.

PART#	DESCRIPTION
#800	CROWNCOAT 2 GAL
#805	CROWNCOAT 5 GAL
#803	BROCHURES (100)

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



CROWN SAVER

When the crown is gone beyond the point of simple repairs use Crown Saver to build a new one. It has a 10 year warranty.

PART#	DESCRIPTION
#520	CROWN SAVER (5 GAL)
#522	BROCHURES (100)



FORM FOIL

Form Foil acts as an extra barrier and water tight flashing between the old and new crown.

PART#	DESCRIPTION
#521	FORM FOIL (50 ft)



DRY CREOSOTE REMOVER

This product keeps creosote buildup at bay remarkably easy! Add 1 scoop to a fire 1-2 times per week to turn sticky, tar-like creosote into brushable ash and prevent further buildup from occurring.

PART#	DESCRIPTION
#235	16 oz
#236	32 oz



PRO CREOSOTE REMOVER

This heat-activated liquid evaporates while removing creosote buildup from inside a chimney. As the chemicals penetrate the sticky, tar-like creosote, it turns into a loose, powdery, non-adhering ash that can easily be brushed away. Weekly use will prevent further creosote from forming.

PART#	DESCRIPTION
#771	PRO CREOSOTE REMOVER

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



CRE-AWAY

Cre-Away is a dry chemical that you just spray up a glazed creosote lined chimney. As your customer continues to use their fireplace Cre-Away reacts with the glaze and converts it into a brushable form of creosote. You get 2 or 3 treatments out of each squeeze bottle.

PART#	DESCRIPTION
#801	CREAWAY
#804	BROCHURES



ANTI-CREO -SOOT

ACS has been used for years to change glazed creosote into brushable and cleanable form. It has an advanced catalytic manganese formula that is safe and non-toxic. Removes carbon deposits from gas logs. Just spray on a low fire and ACS changes the glaze to powder that you can brush out!

PART#	DESCRIPTION
#233	QUART SPRAY BOTTLE



KWIK-SHOT

Kwik-Shot is easy to use toss-in stick that controls soot and creosote build-up conveniently! Just put one in the fire! Creates a fiesta of colorful flames! The full case acts as a counter display.

PART#	DESCRIPTION
#741	KWIKSHOT



SPEEDY-WHITE

Removes creosote instantly. In addition to removing creosote and smoke stains from glass stones and brick, Speedy White is great for: cleaning barbecue grills, carpet and clothing stains, grease and difficult household cleaning jobs. Always keep at least one bottle with you for the little oops! Comes in a 22 oz. trigger spray bottle.

PART#	DESCRIPTION
#330	SPEEDY WHITE
#331	SPEEDY WHITE (1 GALLON JUG)



ACS HOME & HEARTH CLEANER

ACS Home & Hearth Cleaner Is the chimney sweep's secret for safely cleaning smoke and creosote stains from fireplace glass, hearths, stoves, brick, stone and more. Comes in a 32 oz. spray bottle. Just spray it on and wipe it off.

PART#	DESCRIPTION
#544	ACS HOME & HEARTH CLEANER



CASTABLE REFRACTORY CEMENT

Create your own brick by just adding water to this dry mix. Light brown in color and withstands 2200 degrees Fahrenheit. Comes in 1 gallon containers, sold as a set of 2.

PART#	DESCRIPTION
#766	GALLON BUFF



REFRACTORY CEMENT

This premixed cement is used for setting and bonding firebrick in fireplaces, furnaces, stoves, and incinerators. Buff colored and comes in gallon tubs. Sold as a set of two.

PART#	DESCRIPTION
#760	GALLON BUFF



DRY MIX 211

Just mix with water to produce a refractory mortar that meets or exceed NFPA 211 1988 edition. Used for laying up masonry flue liners in fireplace chimneys, wood stoves, coal stoves, pellet stoves inserts. Non water soluble.

PART#	DESCRIPTION
#761	GALLON

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | FAX: 818-485-2800 | EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



CHIMNEY SWEEP FURNACE CEMENT

A ready-mixed, all-purpose, high temperature resistant furnace/refractory cement. It will bond masonry to masonry, steel to steel, and steel to masonry. It is not for exterior use. Withstands temperatures over 2700F+. Gray in color. Comes in 1 Quart resealable plastic tubs. This is the perfect cement for installing ash dump doors in the fireplace!

PART#	DESCRIPTION
#725	1 QUART TUB



SMOKTITE™

Smoktite material has been specifically formulated to be applied to the inside of fireplace smoke chambers only by using our Smoktite System. The material is shipped dry in a 3 ½ gallon sealed pail. One bucket is sufficient to complete an average sized smoke chamber with larger chambers requiring two or more. Just mix the dry material with water (instructions on pail) using a standard paddle mixer and it's ready to use.

Improve the operation of your fireplace and increase the safety of your home. Smoktite is a highly insulative ceramic product that is used to seal, smooth and insulate chimney smoke chambers without removing the damper frame or adjacent brickwork. Smoktite sprays on to seal the surface with a durable ceramic coating that is good up to 2291 degrees Fahrenheit and is impervious to acids, vapors, and water. Introduced in the summer of 2002, Smoktite is now being used by chimney professionals all across the country.

PART#	DESCRIPTION
#861	SMOKTITE BUCKET (3.5 GAL)



SMOKTITE™ SYSTEM

The Smoktite System is nearly everything you need to get started spraying Smoktite and repairing smoke chambers. The system includes a 2 ½ gallon pressure tank, 6 feet of both air and material feed hoses, our specialized spray gun, and a 6 inch extender to extend your reach. You will need to provide a compressor delivering a minimum of 5 SCFM at 90 PSI with a regulator to adjust pressure and a simple drill driven mixer to complete the system. These items are typically available at your local Lowe's or Home Depot store.

PART#	DESCRIPTION
#862	SMOKETITE SYSTEM
#863	EXTENDER GUN KIT
#864	6" EXTENDER
#865	30 DEGREE ANGLE ADAPTER
#866	60 DEGREE ANGLE ADAPTER
#867	EXTENDER NOZZLE
#868	REPAIR KIT
#869	MATERIAL FEED HOSE

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | FAX: 818-485-2800 | EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



THERMOCRETE®

5 gallon bucket of Thermocrete. You must be a licensed dealer with Approved Industries in order to purchase this product.

Line and protect with sprayed ceramic technology. Thermocrete® is a premium, durable ceramic liner for use in the repair, restoration and energy conversion of chimneys and chimney flues. Thermocrete seals holes and cracks, increases efficiency, and strengthens the chimney. Thermocrete makes it easy to retrofit chimneys for conversion to natural gas. Installation is quick, cost effective and environmentally friendly. And unlike traditional fuel conversion methods, Thermocrete requires no major construction and does not reduce the diameter of the flue.

PART#	DESCRIPTION
#860	THERMOCRETE BUCKET (5 GAL)



CHAMBER SAFE

Chamber Safe is a high performance refractory parging material, designed to strengthen, streamline, and restore the critical smoke chamber area in masonry chimneys.

PART#	DESCRIPTION
#436	CHAMBER SAFE (5 GAL)



CROWN SAFE

Bonds quickly with surfaces under extreme weather conditions applies and finishes clear preserving the crown's original look. Crown Safe is a permanent solution for roof and crown leaks!

PART#	DESCRIPTION
#433	CROWN SAFE (1 GAL)



UGL DRYLOK MASONRY CRACK FILLER

When you see a crown of a chimney that is cracked but not separated from the chimney yet, use this to fill the cracks and make it water tight again before the whole crown has to be replaced. This product can be applied even in moist conditions. The purpose of a crown or a mortar cap is to prevent water from seeping into the chimney. When it's cracked and isn't doing its job, it can lead to the deterioration of the whole structure.

PART#	DESCRIPTION
#146	UGL MASONRY CRACK FILLER



STOVE & GASKET CEMENT

Stove & Gasket Cement pulls double duty because not only can this cement adhere any fiberglass gasket to most any metal, it can also be used to fix those small cracks, pinholes, and leaks in your cast iron stove. Available in a hand squeeze tube or in a larger caulking-gun-ready size, this cement is ready to get your stove back into shape so it is operating efficiently and safely. Before it is heat cured it can also be cleaned up with water so don't worry about those little mistakes when applying, even if it has already dried.

Rated to 2000°F (1090°C). Requires heat to cure. Paintable after curing Approx. Coverage: 29 feet (2.3 oz) or 99 feet (10.3 oz), both with 1/8" bead.

PART#	DESCRIPTION
#765	STOVE & GASKET CEMENT



FIREPLACE MORTAR

Fireplace Mortar is designed especially to patch fireplace fireboxes bonding firebrick to firebrick. This mortar comes in 3 different colors (black, grey, buff). A silicate product that when fire cured, sets rock hard, as strong as firebrick itself. Withstands 2000f. Not for exterior use.

PART#	DESCRIPTION
#720	BLACK MORTAR
#721	GRAY MORTAR
#722	BUFF MORTAR



MASONRY PATCH

An exterior mastic patching cement. Natural concrete color. Repair broken mortar in chimneys, steps, sidewalks, etc.

PART#	DESCRIPTION
#723	MASONRY PATCH

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | FAX: 818-485-2800 | EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



DRYER JACK

Quality construction and design with features that deliver superior airflow, efficiency, protection from the elements and easy access for cleaning; make Dryer Jacks the definitive dryer roof venting choice.

PART#	DESCRIPTION
#825	LOW PROFILE DRYER JACK
#826	EXTRA CLEARANCE DRYER JACK

Model Letter Designates Power Coating Color. K: Black | B: Brown | W: White



THE DEFENDER

The Defender's patented design provides a solid barrier that keeps nesting birds, rats, squirrels and other uninvited guests out of the exhaust system. The zinc coated steel prevents critters from chewing or gnawing through the Defender allowing it to stand up to pests and the elements for long lasting protection. It's easy to access and clean design also provides an extra layer of weather protection, minimizes lint buildup, and helps hide unsightly vents.

PART#	DESCRIPTION
#823	6.5 " VENT COVER
#824	8" VENT COVER



DRYER CLAMP

This all stainless-steel clamp allows for smoother operation and ensures a no-slip attachment to the dryer. With its multi-driver screw head, the Dryer Clamp is a must have for cleaning or servicing dryer exhaust system.

PART#	DESCRIPTION
#820	STAINLESS STEEL DRYER CLAMP (BAG OF 20)



DRYER FLEX

Unlike old fashioned 'slinky' foil flex or semi-rigid hose, Dryer Flex stands up to fire, is crush resistant and delivers superior airflow and efficiency. Saving on energy bills and helping to prevent dryer vent fires.

PART#	DESCRIPTION
#818	4' DRYER FLEX DUCT
#819	8' DRYER FLEX DUCT



DRYER WALL VENT

This low profile, galvanized and powder coated steel dryer wall vent delivers a long life with zero airflow restriction. Easy to clean and easy to install the Dryer Wall Vent is a favorite among contractors and maintenance experts alike.

PART#	DESCRIPTION
#821	4" DRYER WALL VENT

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



DUST BRUSH

For all the little pick up actions that you don't want to load your vacuum with.

PART#	DESCRIPTION
#173	DUST BRUSH



SMOKE SHELF HAND BRUSH

This is the hand brush sweeps use for most of their cleaning of smoke chambers and fireboxes. Stiff plastic bristles for rapid cleaning and long life.

PART#	DESCRIPTION
#171	SMOKE SHELF HAND BRUSH



NOODLE BRUSH

Noodle brushes can be bent into any shape you need. Great for cleaning all those hard to reach places, smoke chambers, heatator pipes, dampers and pellet stove heat exchangers.

PART#	DESCRIPTION
#1117	NOODLE BRUSH 17"
#1127	NOODLE BRUSH 27"



SMOKE CHAMBER BRUSH

This is the brush sweeps use for most of their cleaning of smoke chambers and fireboxs. Stiff plastic bristles for rapid cleaning and long life.

PART#	DESCRIPTION
#172	SMOKE CHAMBER BRUSH

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



SHOVEL

This stamped steel shovel has been part of a sweep's standard tools from the beginning. Good for scooping up the ash in the firebox and leaving it clean.

PART#	DESCRIPTION
#343	SHOVEL



RUG RUNNER

This 4x12 10oz. washable heavy duty canvas rug runners are just what you need to keep your customer happy no matter what the weather is.

PART#	DESCRIPTION
#528	RUG RUNNER (NATURAL)



DROP CLOTH

Heavy 10oz. canvas drop cloths measure 6x10 and are just what you need for chimney cleaning.

PART#	DESCRIPTION
#527	DROP CLOTH (NATURAL)
#531	DROP CLOTH (BLACK)



SELF DRILLING SCREWS

These screws require no pilot hole. Use a magnetic hex head drive with your variable speed drill and just drive them in. Comes in 400 series stainless steel, 1/2", #8 with a combination slot/hex head. Also available in Black. Sold in packs of 500.

PART#	DESCRIPTION
#1100	#8, 1/2" BLACK (500)
#1101	#8, 1/2" STAINLESS (500)

FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM



SOOT SUCKER SMOKE SHELF CLEANER

The Soot Sucker is an attachment for your vac that can bend to help you clean the smoke shelf and other hard to reach places. It is 4 feet in length and has a 2 1/4" coupling that attaches to the hose of your vac. A stop is built in so you only suck up soot and ash from the smoke shelf and not rocks that can block the hose.

PART#

DESCRIPTION

#329

SOOT SUCKER



REMOVABLE DAMPER LEVER

Makes it easier to open and close the damper and works with any of our dampers.

PART#

DESCRIPTION

#295

REMOVABLE HAND LEVER



SMOKE SHELF SCRAPER

Smoke shelves get loaded with ash and creosote. You could use a vacuum to clean them but a less time consuming method is to use the smoke shelf scraper to pull the ash down and shovel it into a container.

PART#

DESCRIPTION

#347

SMOKE SHELF SCRAPER



LADDER RIDGE HOOK

Easy to use, just fasten to your ladder and hook over the ridge of the roof. These work with standard 12"(1 foot) distance between rungs.

PART#

DESCRIPTION

#604

LADDER RIDGE HOOK



CONDITION REPORTS

This report is a step up as a "sales tools". Often when you are out in the field with the rush of delivery you forget all the services you have to offer your customer. This report keeps everything right in front of you and your customer! The chimney diagram helps your customer "see" the problem areas of their chimney. The section on the right shows the solution! Condition Reports, in triplicate forms, are sold in packs of 100. Actual size is 8 1/2" x 11".

PART#

DESCRIPTION

#119

CONDITION REPORTS

CONTACT

WAYS TO ORDER:

CALL: 1-800-366-8677

FAX: 818-485-2800

EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM

WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

MAIN ADDRESS:

CHIMNEY PRODUCTS, INC.
357 E. Avenue K8 Unit 103
Lancaster, CA 93535

MAILING ADDRESS:

CHIMNEY PRODUCTS, INC.
750 Fairmont Ave.
Glendale CA. 91203

BUSINESS HOURS:

MONDAY THROUGH FRIDAY
8:00AM TO 4:30PM PST

ONLINE STORE/WEBSITE HOURS:

24/7

Members of distinguished guilds such as:




FREE SHIPPING ON ALL ORDERS OF \$699 OR MORE!

TO ORDER CALL: 800-366-8677 | FAX: 818-485-2800 | EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

[illegible]

TO ORDER CALL: 800-366-8677 | **FAX:** 818-485-2800 | **EMAIL:** ORDERS@CHIMNEYPRODUCTSINC.COM
OR VISIT OUR WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM

PRSR STD
U.S. POSTAGE
PAID
PASADENA, CA
PERMIT # 648



2023 - 2024 MANUFACTURER & DISTRIBUTOR PRICE LIST

TOLL FREE: 1-800-366-8677 | FAX: 818-485-2800
EMAIL: ORDERS@CHIMNEYPRODUCTSINC.COM
WEBSITE: WWW.CHIMNEYPRODUCTSINC.COM